

face reader terminal



Face reader access control terminal integrates certificate ID, facial recognition with TCP/IP communication. All terminals can be managed by internet to control lock and realized data backup.

We can set verification mode by 1:1 or 1:N.

Application

- ❑ Higher access control level for office building, zone entrance management.
- ❑ Time attendance and visitor management
- ❑ Door access control management by using facial recognition.

Features

- ✓ Dual cameras, dual algorithm of 1:1/1:N verification
- ✓ Active light source can be visible light and remote infrared light which can prevent environment influence, no harm to human body.
- ✓ Dual face algorithms to prevent non alive face recognition.
- ✓ Standalone or network
- ✓ Ergonomic design

Parameters

FACE READER TERMINAL		
TYPE		Description
Name		Face reader terminal
Model no.		2D-APK88--2D-APK88WT
Operation system		Android 5.0
Speed		<1 s
FRR		< 0.01%
Rejection rate		< 0.1%
Work mode		Standalone / network
Hardware specifications	CPU	Contex A17
	Flash	8-16GB
	RAM	2-4GB DDR3
	Camera	Dual 2 million cameras
	Certificate ID	GA/T-2003 standard
	Screen	8 inch IPS screen
		768X1024/ Capacitive touch
	Storage	Micro SD
Verification	Extended Capacity	8-128GB
	User	10000 人
	Mode	1: N / 1:1
	Anti fake	Support
Device management	Recognition speed	50~100CM
	Admin suer	support
	Over capacity alarm	Support
I/O interface	Timer	Built in RTC network automatic timing
	Network	RJ45 X 1
	Wiegand	Wiegand X 1
	Relay	Relay X 1
	USB	USB X 1
Wireless config	Alert prompt	Alarm prompt X 1
	WIFI	2.4/5G 802.11a/b/g/n/ac
Human computer interaction	4G	Option
	voice broadcast	Support
	Input	English
	Reset	1
	Voltage	DC12V/3A
	Rated power	15W
Size		230mm * 150mm * 380mm

